

[Go to Product page](#)

Datasheet for ABIN709978

anti-PSMC2 antibody (AA 101-200) (Biotin)

Overview

Quantity:	100 µL
Target:	PSMC2
Binding Specificity:	AA 101-200
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMC2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MSS1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	PSMC2
Alternative Name:	MSS1 (PSMC2 Products)

Target Details

Background:	<p>Synonyms: 26S protease complex, mammalian suppressor of sgv-1 of yeast, MSS1, Nbla10058, protease 26S subunit 7, proteasome 26S ATPase subunit 2, Proteasome 26S subunit ATPase 2, proteasome 26S subunit ATPase 2, Protein MSS1, PSMC2, putative protein product of Nbla10058, S7 antibody, PRS7_HUMAN.</p> <p>Background: Proteolytic degradation is critical to the maintenance of appropriate levels of short-lived and regulatory proteins as important and diverse as those involved in cellular metabolism, heat shock and stress response, antigen presentation, modulation of cell surface receptors and ion channels, cell cycle regulation, transcription, and signalling factors. The ubiquitin-proteasome pathway deconstructs most proteins in the eukaryotic cell cytosol and nucleus. Others are degraded via the vacuolar pathway which includes endosomes, lysosomes and the endoplasmic reticulum.</p>
Gene ID:	5701
Pathways:	Mitotic G1-G1/S Phases , DNA Replication , Synthesis of DNA , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months