antibodies - online.com







anti-TYRO3 antibody

Images



Overview

Quantity:	20 μL
Target:	TYRO3
Reactivity:	Human
Host:	Rabbit
Clonality:	Monoclonal
Conjugate:	This TYRO3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP)

Product Details

Immunogen:	A synthesized peptide derived from human Tyro3
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Monoclonal Antibodies
Purification:	Affinity purification

Target Details

Target:	TYR03
Alternative Name:	TYRO3 (TYRO3 Products)
Background:	The gene is part of a 3-member transmembrane receptor kinase receptor family with a
	processed pseudogene distal on chromosome 15. The encoded protein is activated by the

Target Details

	products of the growth arrest-specific gene 6 and protein S genes and is involved in controlling
	cell survival and proliferation, spermatogenesis, immunoregulation and phagocytosis. The
	encoded protein has also been identified as a cell entry factor for Ebola and Marburg viruses.
	[provided by RefSeq, May 2010],BYK, Dtk, Etk-2, RSE, Rek, Sky, Tif,Cell Adhesion,Cell Biology &
	Developmental Biology,Kinase,Kinase_Tyrosine kinases,Neuroscience,Signal
	Transduction,TYR03
Molecular Weight:	110,130 kDa
Gene ID:	7301

UniProt: Q06418


Pathways: RTK Signaling

Application Details

Application Notes:	WB,1:500 - 1:2000,IP,1:50 - 1:200
Restrictions:	For Research Use only

Handling

Buffer:	PBS with 0.02 % sodium azide,0.05 % BSA,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Immunoprecipitation

Image 1. Immunoprecipitation analysis of 600 μ g extracts of Mouse brain cells using 3 μ g Tyro3 antibody (ABIN1678641, ABIN7101341, ABIN7101342 and ABIN7101343). Western blot was performed from the immunoprecipitate using Tyro3 antibody (ABIN1678641, ABIN7101341, ABIN7101342 and ABIN7101343) at a dilition of 1:1000.

Western Blotting

Image 2. Western blot analysis of extracts of various cell lines, using Tyro3 Rabbit mAb (ABIN1678641, ABIN7101341, ABIN7101342 and ABIN7101343) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 μg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.