# antibodies -online.com





#### Datasheet for ABIN7112079

## anti-BRD8 antibody



#### Overview

Quantity:	100 μg
Target:	BRD8
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This BRD8 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

#### **Product Details**

Immunogen:	bromodomain containing 8
Clone:	4B2
Isotype:	lgG1
Purification:	Protein A+G purification
Purity:	≥95 % as determined by SDS-PAGE

### Target Details

Target:	BRD8
Alternative Name:	BRD8 (BRD8 Products)
Background:	Synonyms:SMAP, SMAP2 Background:May act as a coactivator during transcriptional
	activation by hormone-activated nuclear receptors(NR). Isoform 2 stimulates transcriptional

activation by AR/DHTR, ESR1/NR3A1, RXRA/NR2B1 and THRB/ERBA2. At least isoform 1 and isoform 2 are components of the NuA4 histone acetyltransferase(HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome-DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Component of a SWR1-like complex that specifically mediates the removal of histone H2A.Z/H2AFZ from the nucleosome.

Molecular Weight: 120 kDa

Gene ID: 10902

UniProt: Q9H0E9

#### **Application Details**

Application Notes: WB: 1:500-1:2000, IHC: 1:50-1:500, IF: 1:50-1:500

Restrictions: For Research Use only

#### Handling

Format:

Liquid

Buffer:

PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

-20 °C

Storage Comment:

-20 °C for 12 months (Avoid repeated freeze / thaw cycles.)

Expiry Date:

12 months