

Datasheet for ABIN7117124 anti-OPTN antibody



Overview

Quantity:	100 µg	
Target:	OPTN	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This OPTN antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunoprecipitation (IP), Immunofluorescence (IF)	

Product Details

Immunogen:	optineurin
Isotype:	lgG
Purification:	Immunogen affinity purified
Purity:	≥95 % as determined by SDS-PAGE

Target Details

Target:	OPTN	
Alternative Name:	OPTN (OPTN Products)	
Background:	Synonyms:FIP2, GLC1E, HIP7, HYPL, NRP Background:Plays an important role in the maintenance of the Golgi complex, in membrane trafficking, in exocytosis, through its interaction with myosin VI and Rab8. Links myosin VI to the Golgi complex and plays an	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7117124 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

	important role in Golgi ribbon formation. Negatively regulates the induction of IFNB in response	
	to RNA virus infection. Plays a neuroprotective role in the eye and optic nerve. Probably part of	
	the TNF-alpha signaling pathway that can shift the equilibrium toward induction of cell death.	
	May act by regulating membrane trafficking and cellular morphogenesis via a complex that	
	contains Rab8 and hungtingtin(HD). Mediates the interaction of Rab8 with the probable	
	GTPase-activating protein TBC1D17 during Rab8-mediated endocytic trafficking, such as of	
	transferrin receptor(TFRC/TfR), regulates Rab8 recruitnment to tubules emanating from the	
	endocytic recycling compartment. Autophagy receptor that interacts directly with both the	
	cargo to become degraded and an autophagy modifier of the MAP1 LC3 family, targets	
	ubiquitin-coated bacteria(xenophagy), such as cytoplasmic Salmonella enterica, and appears to	
	function in the same pathway as SQSTM1 and CALCOCO2/NDP52. May constitute a cellular	
	target for adenovirus E3 14.7, an inhibitor of TNF-alpha functions, thereby affecting cell death.	
	This antibody recognises 66 and 70-74 kDa band, and the additional 70-74 kDa band due to	
	phosphorylation.	
Molecular Weight:	66 kDa	
Gene ID:	10133	
UniProt:	Q96CV9	
Pathways:	M Phase	
Application Details		
Application Notes:	WB: 1:500-1:2000, IP:1:500-1:1000, IHC: 1:50-1:500, IF: 1:10-1:100	

Handling

Restrictions:

Format:	Liquid	
Buffer:	PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	-20°C for 12 months (Avoid repeated freeze / thaw cycles.)	

For Research Use only

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7117124 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

1.1	(1:
Н	land	ling
		3

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7117124 | 07/25/2024 | Copyright antibodies-online. All rights reserved.