# antibodies -online.com





# anti-SLCO4C1 antibody



$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μg
Target:	SLCO4C1 (OATP-H)
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLCO4C1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

### **Product Details**

Immunogen:	solute carrier organic anion transporter family, member 4C1
Isotype:	IgG
Purification:	Immunogen affinity purified
Purity:	≥95 % as determined by SDS-PAGE

# **Target Details**

Target:	SLCO4C1 (OATP-H)	
Alternative Name:	SLCO4C1 (OATP-H Products)	
Background:	Synonyms:OATP H, OATP M1, OATP4C1, OATPX, Organic anion transporter M1, PRO2176,	
	SLC21A20, SLCO4C1 Background:Organic anion transporter, capable of transporting	
	pharmacological substances such as digoxin, ouabain, thyroxine, methotrexate and cAMP. May	
	participate in the regulation of membrane transport of ouabain. Involved in the uptake of the	

dipeptidyl peptidase-4 inhibitor sitagliptin and hence may play a role in its transport into and out of renal proximal tubule cells. May be involved in the first step of the transport pathway of digoxin and various compounds into the urine in the kidney. May be involved in sperm maturation by enabling directed movement of organic anions and compounds within or between cells. This ion-transporting process is important to maintain the strict epididymal homeostasis necessary for sperm maturation. May have a role in secretory functions since seminal vesicle epithelial cells are assumed to secrete proteins involved in decapacitation by modifying surface proteins to facilitate the acquisition of the ability to fertilize the egg.

Molecular Weight: 80 kDa

Gene ID: 227394

UniProt: Q8BGD4

### **Application Details**

Application Notes: WB: 1:500-1:1000, IHC: 1:20-1:200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	-20°C for 12 months (Avoid repeated freeze / thaw cycles.)
Expiry Date:	12 months