

Datasheet for ABIN7117989

anti-PPP1CC antibody



Overview

Quantity:	100 μg
Target:	PPP1CC
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPP1CC antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunofluorescence (IF)

Product Details

Immunogen:	protein phosphatase 1, catalytic subunit, gamma isoform
Isotype:	IgG
Purification:	Immunogen affinity purified
Purity:	≥95 % as determined by SDS-PAGE

Target Details

Target:	PPP1CC
Alternative Name:	PPP1CC (PPP1CC Products)
Background:	Synonyms: Background:Protein phosphatase that associates with over 200 regulatory proteins to form highly specific holoenzymes which dephosphorylate hundreds of biological targets.
	Protein phosphatase 1(PP1) is essential for cell division, and participates in the regulation of

glycogen metabolism, muscle contractility and protein synthesis. Dephosphorylates RPS6KB1. Involved in regulation of ionic conductances and long-term synaptic plasticity. May play an important role in dephosphorylating substrates such as the postsynaptic density-associated Ca(2+)/calmodulin dependent protein kinase II. Component of the PTW/PP1 phosphatase complex, which plays a role in the control of chromatin structure and cell cycle progression during the transition from mitosis into interphase. In balance with CSNK1D and CSNK1E, determines the circadian period length, through the regulation of the speed and rhythmicity of PER1 and PER2 phosphorylation. May dephosphorylate CSNK1D and CSNK1E.

Dephosphorylates the 'Ser-418' residue of FOXP3 in regulatory T-cells(Treg) from patients with rheumatoid arthritis, thereby inactivating FOXP3 and rendering Treg cells functionally defective(PubMed:23396208).

Molecular Weight: 35 kDa

Gene ID: 5501

UniProt: P36873

Pathways: Cellular Glucan Metabolic Process, Lipid Metabolism

Application Details

Application Notes: WB: 1:500-1:2000, IP: 1:200-1:1000, IHC: 1:20-1:200, IF: 1:20-1:200

Restrictions: For Research Use only

Handling

Format:

Liquid

Buffer:

PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

-20 °C

Storage Comment:

-20 °C for 12 months (Avoid repeated freeze / thaw cycles.)

Expiry Date:

12 months