antibodies -online.com





Datasheet for ABIN7118665

anti-RBX1 antibody



Overview

Quantity:	100 μg
Target:	RBX1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunoprecipitation (IP)
Product Details	
Immunogen:	ring-box 1

Immunogen:	ring-box 1
Isotype:	IgG
Purification:	Immunogen affinity purified
Purity:	≥95 % as determined by SDS-PAGE

Target Details

Target:	RBX1
Alternative Name:	RBX1 (RBX1 Products)
Background:	Synonyms:RNF75, ROC1 Background:E3 ubiquitin ligase component of multiple cullin-RING-
	based E3 ubiquitin-protein ligase complexes which mediate the ubiquitination and subsequent
	proteasomal degradation of target proteins, including proteins involved in cell cycle
	progression, signal transduction, transcription and transcription-coupled nucleotide excision
	repair. The functional specificity of the E3 ubiquitin-protein ligase complexes depends on the

variable substrate recognition components. As a component of the CSA complex promotes the ubiquitination of ERCC6 resulting in proteasomal degradation. Through the RING-type zinc finger, seems to recruit the E2 ubiquitination enzyme, like CDC34, to the complex and brings it into close proximity to the substrate. Probably also stimulates CDC34 autoubiquitination. May be required for histone H3 and histone H4 ubiquitination in response to ultraviolet and for subsequent DNA repair. Promotes the neddylation of CUL1, CUL2, CUL4 and CUL4 via its interaction with UBE2M. Involved in the ubiquitination of KEAP1, ENC1 and KLHL41. In concert with ATF2 and CUL3, promotes degradation of KAT5 thereby attenuating its ability to acetylate and activate ATM.

Molecular Weight: 12 kDa Gene ID: 9978 UniProt: P62877 Pathways:

Cell Division Cycle, M Phase, SARS-CoV-2 Protein Interactome

Application Details

Application Notes: WB: 1:500-1:2000, IP: 1:200-1:1000, IHC: 1:20-1:200 Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	-20°C for 12 months (Avoid repeated freeze / thaw cycles.)
Expiry Date:	12 months