



[Go to Product page](#)

Datasheet for ABIN7118687  
**anti-RBM4 antibody**

### Overview

Quantity:	100 µg
Target:	RBM4
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This RBM4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

### Product Details

Immunogen:	RNA binding motif protein 4
Clone:	6F6
Isotype:	IgG1
Purification:	Protein A+G purification
Purity:	≥95 % as determined by SDS-PAGE

### Target Details

Target:	RBM4
Alternative Name:	RBM4 ( <a href="#">RBM4 Products</a> )
Background:	Synonyms:RBM4A Background:RNA-binding factor involved in multiple aspects of cellular processes like alternative splicing of pre-mRNA and translation regulation. Modulates

## Target Details

---

alternative 5'-splice site and exon selection. Acts as a muscle cell differentiation-promoting factor. Activates exon skipping of the PTB pre-mRNA during muscle cell differentiation. Antagonizes the activity of the splicing factor PTBP1 to modulate muscle cell-specific exon selection of alpha tropomyosin. Binds to intronic pyrimidine-rich sequence of the TPM1 and MAPT pre-mRNAs. Required for the translational activation of PER1 mRNA in response to circadian clock. Binds directly to the 3'-UTR of the PER1 mRNA. Exerts a suppressive activity on Cap-dependent translation via binding to CU-rich responsive elements within the 3'UTR of mRNAs, a process increased under stress conditions or during myocytes differentiation. Recruits EIF4A1 to stimulate IRES-dependent translation initiation in response to cellular stress. Associates to internal ribosome entry segment(IRES) in target mRNA species under stress conditions. Plays a role for miRNA-guided RNA cleavage and translation suppression by promoting association of AGO2-containing miRNPs with their cognate target mRNAs. Associates with miRNAs during muscle cell differentiation. Binds preferentially to 5'-CGCGCG[GCA]-3' motif in vitro.

---

Molecular Weight: 40 kDa

---

Gene ID: 5936

---

UniProt: [Q9BWF3](#)

---

Pathways: [Regulation of Muscle Cell Differentiation](#), [Photoperiodism](#)

## Application Details

---

Application Notes: WB: 1:500-1:2000, IHC: 1:20-1:200, IF: 1:50-1:500

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Buffer: PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,

---

Preservative: Sodium azide

---

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

---

## Handling

---

Expiry Date: 12 months