

Datasheet for ABIN7119201

anti-SNAPIN antibody



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	100 μg
Target:	SNAPIN
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNAPIN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunoprecipitation (IP), Immunofluorescence (IF), Flow Cytometry (FACS)

Product Details

Immunogen:	SNAP-associated protein
Isotype:	IgG
Purification:	Immunogen affinity purified
Purity:	≥95 % as determined by SDS-PAGE

Target Details

Target:	SNAPIN	
Alternative Name:	SNAPIN (SNAPIN Products)	
Background:	Synonyms:BLOC1S7, SNAP25BP, SNAPAP Background:Component of the BLOC-1 complex, a	
	complex that is required for normal biogenesis of lysosome-related organelles(LRO), such as	
	platelet dense granules and melanosomes. In concert with the AP-3 complex, the BLOC-1	

complex is required to target membrane protein cargos into vesicles assembled at cell bodies for delivery into neurites and nerve terminals. The BLOC-1 complex, in association with SNARE proteins, is also proposed to be involved in neurite extension. Plays a role in intracellular vesicle trafficking and synaptic vesicle recycling. May modulate a step between vesicle priming, fusion and calcium-dependent neurotransmitter release through its ability to potentiate the interaction of synaptotagmin with the SNAREs and the plasma-membrane-associated protein SNAP25. Its phosphorylation state influences exocytotic protein interactions and may regulate synaptic vesicle exocytosis. May also have a role in the mechanisms of SNARE-mediated membrane fusion in non-neuronal cells(PubMed:17182842, PubMed:18167355). As part of the BORC complex may play a role in lysosomes movement and localization at the cell periphery. Associated with the cytosolic face of lysosomes, the BORC complex may recruit ARL8B and couple lysosomes to microtubule plus-end-directed kinesin motor(PubMed:25898167).

Molecular Weight: 15-18 kDa

Gene ID: 23557

UniProt: 095295

Pathways: Synaptic Membrane, Synaptic Vesicle Exocytosis

Application Details

Application Notes: WB: 1:500-1:2000, IP: 1:200-1:2000, IHC: 1:20-1:200, IF: 1:20-1:200

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	PBS with 0.02 % sodium azide and 50 % glycerol pH 7.3,	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	-20°C for 12 months (Avoid repeated freeze / thaw cycles.)	
Expiry Date:	12 months	