ANTIBODIES ONLINE

Datasheet for ABIN7121333

SARS-CoV-2 Spike Protein (B.1.621 - mu, Trimer) (His tag)

Go to Product page

Overview

Quantity:	50 µg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	B.1.621 - mu, Trimer
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Mu
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with His tag.

Product Details

Purpose:	SARS-CoV-2 Spike Trimer (T95I, Y144S, Y145N, R346K, E484K, N501Y, D614G, P681H, D950N), His Tag (MALS verified)
Sequence:	Val 16 - Pro 1213
Specificity:	SARS-CoV-2 Spike Trimer (T95I, Y144S, Y145N, R346K, E484K, N501Y, D614G, P681H, D950N)
Characteristics:	SARS-CoV-2 Spike Trimer, His Tag (SPN-C52Ha) is the ectodomain of SARS-CoV-2 spike protein which contains AA Val 16 - Pro 1213 (Accession # QHD43416.1). The mutations T95I, Y144S, Y145N, R346K, E484K, N501Y, D614G, P681H, D950N were identified in the SARS-CoV-2 Mu variant (Pango lineage: B.1.621). The recombinant protein is expressed from human 293 cells (HEK293) with T4 fibritin trimerization motif and a polyhistidine tag at the C-terminus. Proline substitutions (F817P, A892P, A899P, A942P, K986P, V987P) and alanine substitutions (R683A and R685A) are introduced to stabilize the trimeric prefusion state of SARS-CoV-2 S protein and abolish the furin cleavage site, respectively.

 Copyright antibodies-online. All rights reserved.

Product Details

Purity:	>95 % as determined by SDS-PAGE.
Endotoxin Level:	Less than 1.0 EU per µg by the LAL method.
Grade:	MALS verified

Target Details

Target:	SARS-CoV-2 Spike
Abstract:	SARS-CoV-2 Spike Products
Background:	Synonyms: Spike,S protein,Spike glycoprotein,S glycoprotein, Description: It's been reported that SARS-CoV-2 can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion.The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	138 kDa

Application Details

Application Notes:	This protein carries a polyhistidine tag at the C-terminus. The protein has a calculated MW of 138 kDa. The protein migrates as kDa under reducing (R) condition due to glycosylation.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Buffer:	PBS
Storage:	-20 °C
Storage Comment:	-20°C

 Copyright antibodies-online. All rights reserved.