



[Go to Product page](#)

Datasheet for ABIN7123301

HBEGF Protein (AA 63-148) (His tag)

1 Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 50 µg |
| Target: | HBEGF |
| Protein Characteristics: | AA 63-148 |
| Origin: | Human |
| Source: | Escherichia coli (E. coli) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This HBEGF protein is labelled with His tag. |
| Application: | Western Blotting (WB), ELISA |

Product Details

| | |
|------------|---|
| Purity: | Greater than 95 % as determined by SDS-PAGE |
| Sterility: | 0.2 µm filtered |

Target Details

| | |
|-------------------|--|
| Target: | HBEGF |
| Alternative Name: | HBEGF (HBEGF Products) |
| Background: | Diphtheria toxin receptor, diphtheria toxin receptor (heparin-binding EGF-like growth factor), diphtheria toxin receptor (heparin-binding epidermal growth factor-like growth factor), DT R, DT-R, DTR, DTS, DTSF, HB-EGF, HBEGF, HBEGF_HUMAN, HEGFL, Heparin binding EGF like growth factor |
| Molecular Weight: | 9.4 kDa |

Target Details

UniProt: [Q99075](#)

Pathways: [RTK Signaling](#), [Fc-epsilon Receptor Signaling Pathway](#), [EGFR Signaling Pathway](#), [Neurotrophin Signaling Pathway](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 µg/mL in sterile distilled water by gentle pipetting 2-3 times, don't vortex


Buffer: Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 500 mM NaCl with 5 % trehalose, pH 7.4

Storage: 4 °C, -20 °C

Storage Comment: -20°C for 12 months as lyophilized, 2-8°C for 1 month under sterile conditions after reconstitution

Expiry Date: 12 months

Images



Western Blotting

Image 1.