.-online.com antibodies

Datasheet for ABIN7124117 NCK1 Protein (AA 1-377) (His tag)

Image



Overview

Quantity:	50 µg
Target:	NCK1
Protein Characteristics:	AA 1-377
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NCK1 protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA

Product Details

Purity:	Greater than 95 % as determined by SDS-PAGE
Sterility:	0.2 µm filtered


Target Details

Target:	NCK1
Alternative Name:	Nck (NCK1 Products)
Background:	Cytoplasmic protein NCK1, Melanoma Nck protein, MGC12668, NCK, NCK 1, NCK adaptor protein 1, NCK alpha, NCK tyrosine kinase, Nck-1, NCK1, NCK1_HUMAN, NCKalpha, Non catalytic region of tyrosine kinase, SH2/SH3 adaptor protein NCK alpha, SH2/SH3 adaptor protein NCK-alpha
Molecular Weight:	41.4 kDa

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7124117 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details		
UniProt:	P16333	
Pathways:	TCR Signaling, Regulation of Actin Filament Polymerization, Signaling Events mediated by VEGFR1 and VEGFR2, VEGFR1 Specific Signals	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 µg/mL in sterile distilled water by gentle pipetting 2-3 times, don't vortex	
	Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 μ g/mL in sterile distilled	
Reconstitution:	Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 µg/mL in sterile distilled water by gentle pipetting 2-3 times, don't vortex Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 500 mM NaCl with 5 %	
Reconstitution: Buffer:	Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 µg/mL in sterile distilled water by gentle pipetting 2-3 times, don't vortex Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 500 mM NaCl with 5 % trehalose, pH 7.4	

Images



Western Blotting	

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN7124117 | 09/10/2023 | Copyright antibodies-online. All rights reserved.