

Datasheet for ABIN7125151  
**SOGA2 Protein (AA 13-202) (His tag)**[Go to Product page](#)

## 1 Image

## Overview

|                               |  |
|-------------------------------|--|
| Quantity:                     | 50 µg  |
| Target:                       | SOGA2  |
| Protein Characteristics:      | AA 13-202                                    |
| Origin:                       | Human  |
| Source:                       | Escherichia coli (E. coli)                   |
| Protein Type:                 | Recombinant                                  |
| Purification tag / Conjugate: | This SOGA2 protein is labelled with His tag. |
| Application:                  | ELISA, Western Blotting (WB)                 |

## Product Details

|            |   |
|------------|---|
| Purity:    | Greater than 95 % as determined by SDS-PAGE |
| Sterility: | 0.2 µm filtered                             |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | SOGA2  |
| Alternative Name: | KIAA0802 ( <a href="#">SOGA2 Products</a> )  |
| Background:       | Coiled-coil domain-containing protein 165, Microtubule cross-linking factor 1, MTCL1, MTCL1_HUMAN, PAR-1-interacting protein, SOGA family member 2 |
| Molecular Weight: | 20.8 kDa   |
| UniProt:          | <a href="#">Q9Y4B5</a>   |


Application Details

|                    |  |
|--------------------|--|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
| Restrictions:      | For Research Use only  |

Handling

|                  |  |
|------------------|--|
| Format:          | Lyophilized  |
| Reconstitution:  | Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 µg/mL in sterile distilled water by gentle pipetting 2-3 times, don't vortex |
| Buffer:          | Lyophilized from a 0.2 µm filtered solution in 10 mM Hepes, 500 mM NaCl with 5 % trehalose, pH 7.4   |
| Storage:         | 4 °C, -20 °C   |
| Storage Comment: | -20°C for 12 months as lyophilized, 2-8°C for 1 month under sterile conditions after reconstitution  |
| Expiry Date:     | 12 months  |

Images



Western Blotting

Image 1.