.-online.com antibodies

Datasheet for ABIN7126036 Pyruvate Kinase Protein (PK) (full length) (rho-1D4 tag)



Overview

Quantity:	0.5 mg
Target:	Pyruvate Kinase (PK)
Protein Characteristics:	full length
Origin:	CHO cells
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Pyruvate Kinase protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), Crystallization (Crys), ELISA, Functional Studies (Func), SDS-PAGE (SDS)

Product Details

Sequence:	MLKEMIKSGM NVARLNFSHG THEYHAETIK NVRTATESFA SDPILYRPVA VALDTKGPEI
	RTGLIKGSGT AEVELKKGAT LKITLDNAYM EKCDENILWL DYKNICKVVE VGSKIYVDDG
	LISLQVKEKG ADYLVTEVEN GGSLGSKKGV NLPGAAVDLP AVSEKDIQDL KFGVEQGVDM
	VFASFIRKAE DVHEVRKVLG EKGQNIKIIS KIENHEGVRR FDEILEASDG IMVARGDLGI
	EIPAEKVFLA QKMMIGRCNR AGKPVICATQ MLESMIKKPR PTRAESSDVA NAVLDGADCI
	MLSGETAKGD YPLEAVRMQH LIAREAEAAI YHLQLFEELR RLAPITNDPT EAAAVGAVEA
	SFKCCSGAII VLTKSGRSAH QVARYRPRAP IIAVTRNPQT ARQAHLYRGI FPVLCKDAVQ
	DAWAEDVDLR VNLAMNVGKA RGFFKTGDVV IVLTGWRPGS GYTNTMRVVP VP
	Sequence without tag. The location of the tag depends on protein. You may also submit your
	preference when ordering.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	CHO Pyruvate kinase Protein (raised in Insect Cells) purified by multi-step, protein-specific

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7126036 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

	process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a custom-made protein and will be made for the first time for your order. This
	protein will be produced on the basis of on a Custom Service Project. We will make sure that
	every step in the production is successful from the design of the expression plasmid to the
	expression and purification of the final protein. Our experts in the lab will ensure that you
	receive a correctly folded protein.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer. The concentration of the protein is calculated using its specific
	absorption coefficient. We use the Expasy's protparam tool to determine the absorption
	coefficient of each protein.
Purification:	Three step purification of proteins expressed in baculovirus infected SF9 insect cells:
	1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
	2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate
	fractions are analyzed by Western blot. 3. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxins have not been removed. Please contact us if you require an endotoxin-free version
	of this product.
Grade:	Crystallography grade
Biological Activity Comment:	Protein has not been tested for activity yet.
Target Details	

Target:	Pyruvate Kinase (PK)
Alternative Name:	Pyruvate kinase (PK Products)
UniProt:	G3H3Q1

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7126036 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	150 mM NaCL, 20 mM NaH2PO4 pH 7.4, 10 % glycerol. Note: Isoelectric point of protein taken into account regarding pH .
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)