antibodies .- online.com





eEF1A1 Protein (full length) (rho-1D4 tag)



Go to Product pag

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	0.5 mg	
Target:	eEF1A1 (EEF1A1)	
Protein Characteristics:	full length	
Origin:	CHO cells	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This eEF1A1 protein is labelled with rho-1D4 tag.	
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), Functional Studies (Func)	

Product Details

Sequence:

MGKEKTHINI VVIGHVDSGK STTTGHLIYK CGGIDKRTIE KFEKEAAEMG KGSFKYAWVL
DKLKAERERG ITIDISLWKF ETSKYYVTII DAPGHRDFIK NMITGTSQAD CAVLIVAAGV
GEFEAGISKN GQTREHALLA YTLGVKQLIV GVNKMDSTEP PYSQKRYEEI VKEVSTYIKK
IGYNPDTVAF VPISGWNGDN MLEPSANMPW FKGWKVTRKD GSASGTTLLE ALDCILPPTR
PTDKPLRLPL QDVYKIGGIG TVPVGRVETG VLKPGMVVTF APVNVTTEVK SVEMHHEALS
EALPGDNVGF NVKNVSVKDV RRGNVAGDSK NDPPMEAAGF TAQVIILNHP GQISAGYAPV
LDCHTAHIAC KFAELKEKID RRSGKKLEDG PKFLKSGDAA IVDMVPGKPM CVESFSDYPP
LGRFAVRDMR QTVAVGVIKA VDKKAAGAGK VTKSAQKAQK AK

Sequence without tag. The location of the tag depends on protein. You may also submit your preference when ordering.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- · CHO Elongation factor 1-alpha 1 (EF-1-alpha-1) (Elongation factor Tu) (EF-Tu) (Eukaryotic

elongation factor 1 A-1) (eEF1A-1) Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a custom-made protein and will be made for the first time for your order. This protein will be produced on the basis of on a Custom Service Project. We will make sure that every step in the production is successful from the design of the expression plasmid to the expression and purification of the final protein. Our experts in the lab will ensure that you receive a correctly folded protein.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxins have not been removed. Please contact us if you require an endotoxin-free version

of this product.

Grade:

Crystallography grade

Biological Activity Comment:

Protein has not been tested for activity yet.

Target Details

Target:	eEF1A1 (EEF1A1)	
Alternative Name:	Elongation factor 1-alpha 1 (EF-1-alpha-1) (EEF1A1 Products)	
Background:	This protein promotes the GTP-dependent binding of aminoacyl-tRNA to the A-site of	
	ribosomes during protein biosynthesis. Plays a role in the positive regulation of IFNG	

Target Details

rai got Botano		
	transcription in T-helper 1 cells as part of an IFNG promoter-binding complex with TXK and PARP1. {ECO:0000250 UniProtKB:P68104}.	
UniProt:	P62629	
Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	150 mM NaCL, 20 mM NaH2PO4 pH 7.4, 10 % glycerol. Note: Isoelectric point of protein taken into account regarding pH .	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	