# antibodies -online.com





## Prosaposin Protein (PSAP) (full length) (rho-1D4 tag)



( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Overview		
Quantity:	0.5 mg	
Target:	Prosaposin (PSAP)	
Protein Characteristics:	full length	
Origin:	CHO cells	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This Prosaposin protein is labelled with rho-1D4 tag.	
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS), Crystallization (Crys), Functional Studies (Func)	
Product Details		
Sequence:	MKTLVPALEL TDSYEAPNIV FCKACQFVMQ KFSALTANKD AVDLMMKSVS KACTLIPGPD	
	STKCTEVIQT FGPSLLDILL REVSADMCGV IRLCSGNPDS VETLEQPAVP ILSALPKQPA	
	LRAIVPQKKT GGFCEVCKKL VSYLEHNLEK NSTKEEILAA LEKGCSFLPD PYQKECDDFV	
	SEYEPLLVEI LVQVMDPSFV CSKIGACPSA SKLLLGTEKC VWGPSYWCQN METAARCNAV	
	DHCKRHVWN	
	Sequence without tag. The location of the tag depends on protein. You may also submit your	
	preference when ordering.	
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.	
	CHO Sulfated glycoprotein 1 Protein (raised in Insect Cells) purified by multi-step, protein- procific process to ensure exception grade.	
	<ul><li>specific process to ensure crystallization grade.</li><li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul>	
	otate of the art algorithm asea for plasmia design (defie synthesis).	
	This protein is a custom-made protein and will be made for the first time for your order. This	

protein will be produced on the basis of on a Custom Service Project. We will make sure that every step in the production is successful from the design of the expression plasmid to the expression and purification of the final protein. Our experts in the lab will ensure that you receive a correctly folded protein.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Three step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxins have not been removed. Please contact us if you require an endotoxin-free version of this product.

Grade:

Crystallography grade

**Biological Activity Comment:** 

Protein has not been tested for activity yet.

#### **Target Details**

Target:	Prosaposin (PSAP)	
Alternative Name:	Sulfated glycoprotein 1 (PSAP Products)	
UniProt:	G3I1Y9	
Pathways:	Positive Regulation of Endopeptidase Activity	

#### **Application Details**

**Application Notes:** 

Optimal working dilution should be determined by the investigator.

### **Application Details**

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	150 mM NaCL, 20 mM NaH2PO4 pH 7.4, 10 % glycerol. Note: Isoelectric point of protein taken into account regarding pH .
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)