antibodies -online.com





RAN Protein (full length) (rho-1D4 tag)



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Overview		
Quantity:	0.5 mg	
Target:	RAN	
Protein Characteristics:	full length	
Origin:	CHO cells	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This RAN protein is labelled with rho-1D4 tag.	
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), Functional Studies (Func)	
Product Details		
Sequence:	MAAQGEPPVQ FKLVLVGDGG TGKTTFVKRH LTGEFEKKYV ATLGVEVHPL LFHTSRGPIK	
	FNVWDTAGQE KFGGLRDGYY IQAQSAIIMF DVTSRVTYKN VPNWHRDLVR VCENIPIVLC	
	GNKVDVKDRK VKAKSIVFHR KKNLQYYDIS AKSNYNFEKP FLWLSRRLTG DPNLEFVAMP	
	ALAPPEVIMD PVLAMKYERD LEVAQATALP DEEDDL	
	Sequence without tag. The location of the tag depends on protein. You may also submit your	
	preference when ordering.	
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.	
	CHO GTP-binding nuclear protein Ran Protein (raised in Insect Cells) purified by multi-step,	
	protein-specific process to ensure crystallization grade.	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).	
	This protein is a custom-made protein and will be made for the first time for your order. This	
	protein will be produced on the basis of on a Custom Service Project. We will make sure that	

every step in the production is successful from the design of the expression plasmid to the expression and purification of the final protein. Our experts in the lab will ensure that you receive a correctly folded protein.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Endotoxins have not been removed. Please contact us if you require an endotoxin-free version of this product.

Grade: Crystallography grade

Protein has not been tested for activity yet.

Biological Activity Comment:

Target Details

Target:	RAN	
Alternative Name:	GTP-binding nuclear protein Ran (RAN Products)	
Background:	GTP-binding protein involved in nucleocytoplasmic transport. Required for the import of protein into the nucleus and also for RNA export. Involved in chromatin condensation and control of cell cycle. {ECO:0000256 RuleBase:RU363057}.	
UniProt:	G3IHE5	
Pathways:	Regulatory RNA Pathways, Intracellular Steroid Hormone Receptor Signaling Pathway, Protein targeting to Nucleus	

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	150 mM NaCL, 20 mM NaH2PO4 pH 7.4, 10 % glycerol. Note: Isoelectric point of protein taken into account regarding pH .	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	