antibodies .- online.com





MGEA5 Protein (full length) (rho-1D4 tag)



Go to Product page

()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	0.5 mg	
Target:	MGEA5	
Protein Characteristics:	full length	
Origin:	CHO cells	
Source:	Insect Cells	
Protein Type: Recombinant		
Purification tag / Conjugate:	This MGEA5 protein is labelled with rho-1D4 tag.	
Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys), Functional Studies		

Product Details

Sequence:

MAGCRLWVSL LLAAALASSA TAVWPWPQYI QTYHRRYTLY PNNFQFRYHA ASAAQAGCVV LDEAFRRYRN LLFGSGSWPR PSFSRKQLIL GKNVLVVSVI TAECNEFPNL ESVENYTLTI NDDQCLLVSE TVWGALRGLE TFSQLVWKSA EGTFFINKTK IKDFPRFPHR GILLDTSRHY LPLSSILDTL DVMAYNKFNV FHWHLVDDSS FPYESFTFPE LTRKGSYNPV THIYTAQDVK EVIEYARLRG IRVLAEFDTP GHTLSWGPGV PGLLTPCYSG SRPSGTFGPV NPSLNSTYDF MSTFFLEISS VFPDFYLHLG GDEVDFTCWR SNPNIEAFMK KKGFSDFKQL ESFYIQTLLD IVSDYDKGYV VWQEVFDNKV KVRPDTIIQV WREEIPVDYM KEMEEITKAG FRALLSAPWY LNRVTYGPDW KDMYKVEPLA FHGTSEQKGL VIGGEACMWG EYVDSTNLVP RLWPRAGAIA ERLWSSNLTT NMDFAFKRLS HFRCEMLRRG VQAQPISVGY CEQEFEQT

Sequence without tag. The location of the tag depends on protein. You may also submit your preference when ordering.

Product Details

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- CHO Beta-hexosaminidase Protein (raised in Insect Cells) purified by multi-step, proteinspecific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a custom-made protein and will be made for the first time for your order. This protein will be produced on the basis of on a Custom Service Project. We will make sure that every step in the production is successful from the design of the expression plasmid to the expression and purification of the final protein. Our experts in the lab will ensure that you receive a correctly folded protein.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.	
Sterility:	0.22 μm filtered	
Endotoxin Level: Endotoxins have not been removed. Please contact us if you require an endotoxin-form of this product.		
Grade:	Crystallography grade	
Biological Activity Comment:	Protein has not been tested for activity yet.	

Target Details

Target:	MGEA5	
Alternative Name:	Beta-hexosaminidase (MGEA5 Products)	
UniProt:	G3H3P8	

Target Details

Pathways:

Positive Regulation of Peptide Hormone Secretion, Regulation of Carbohydrate Metabolic

Process

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	150 mM NaCL, 20 mM NaH2PO4 pH 7.4, 10 % glycerol. Note: Isoelectric point of protein taken into account regarding pH .	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	