

Datasheet for ABIN7126183

anti-CDX1 antibody



Overview

Quantity:	100 μg	
Target:	CDX1	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This CDX1 antibody is un-conjugated	
Application:	Immunohistochemistry (Formalin-fixed Sections) (IHC (f))	

Product Details

Immunogen:

Isotype:	lgG1
Specificity:	The members of the murine Cdx family (Cdx1, Cdx2, and Cdx4) are members of the caudal-type
	homeobox family of genes, which are homologues of the Drosophila caudal gene required for
	anterior-posterior regional identity. The intestine-specific transcription factors Cdx1 and Cdx2
	are candidate genes for directing intestinal development, differentiation, proliferation and
	maintenance of the intestinal phenotype. The relative expression of Cdx1 to Cdx2 protein may
	be important in the anterior to posterior patterning of the intestinal epithelium and in defining
	patterns of proliferation and differentiation along the crypt-villus axis. Expression of the Cdx1
	homeobox gene in epithelial intestinal cells promotes cellular growth and differentiation. Cdx1
	positively regulates its own expression. Cdx1 and Cdx2 are expressed in the small intestine and
	colon of fetus and adult. A decrease in human Cdx1 and/or Cdx2 expression is associated with
	colorectal tumorigenesis. Both Cdx1 and Cdx2 genes must be expressed to reduce tumorigenic

Recombinant human full-length CDX1 protein

Product Details

	potential, to increase sensitivity to apoptosis and to reduce cell migration, suggesting that the two genes control the normal phenotype by independent pathways. The human Cdx1 gene maps to chromosome 5q32 and encodes a 265-amino acid protein.		
Cross-Reactivity (Details):	Human.		
Purification:	1.0mg/ml of Ab purified from Bioreactor by Protein A/G.		
Target Details			
Target:	CDX1		
Alternative Name:	CDX1 (CDX1 Products)		
Background:	Caudal type homeobox 1, Caudal type homeobox transcription factor 1, Caudal-type homeobox protein 1,CDX1,CDX1 / Caudal Type Homeobox 1 (Intestine-Specific Transcription Factor) Cellular localisation: Nuclear		
Molecular Weight:	28kDa		
Gene ID:	1044, 1545		
UniProt:	P47902		
Application Details			
Application Notes:	Known_Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilution for a specific application should be determined. Positive_Control: HT29 cells. Colon Carcinoma		
Restrictions:	For Research Use only		
Handling			
Concentration:	1.0 mg/mL		
Buffer:	Prepared in 10 mM PBS, WITHOUT BSA and Azide.		
Preservative:	Azide free		
Storage:	-20 °C,-80 °C		
_			

Handling

	hazardous.	
Expiry Date:	24 months	