-online.com antibodies

Datasheet for ABIN7126283 anti-ZNF846 antibody



Overview

Quantity:	100 µg
Target:	ZNF846
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This ZNF846 antibody is un-conjugated
Application:	Immunohistochemistry (Formalin-fixed Sections) (IHC (f))

Product Details

Immunogen:	Recombinant full-length human ZNF846 protein
Isotype:	lgG2a
Specificity:	Zinc finger proteins contain DNA-binding domains and have a wide variety of functions, most of which encompass some form of transcriptional activation or repression. The majority of zinc finger proteins contain a Kruppel-type DNA binding domain and a KRAB domain, which is thought to interact with KAP1, thereby recruiting histone modifying proteins. ZNF846 may be involved in transcriptional regulation.
Cross-Reactivity (Details):	Human.
Purification:	1.0mg/ml of Ab purified from Bioreactor by Protein A/G.

Target Details

Target:

ZNF846

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7126283 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	ZNF846 (ZNF846 Products)
Background:	Zinc finger protein 846,Zinc Finger Protein 846 / ZNF846
	Cellular localisation: Cytoplasm
Molecular Weight:	60.55kDa
Gene ID:	162993, 665717
UniProt:	Q147U1
Application Details	
Application Notes:	Known_Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at
	RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10 mM Tris with 1 mM
	EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes), Optimal dilution
	for a specific application should be determined.
	Positive_Control: HeLa whole cell lysate. Prostate or breast carcinoma.
Restrictions:	For Research Use only
Handling	
Concentration:	1.0 mg/mL
Buffer:	Prepared in 10 mM PBS, WITHOUT BSA and Azide.
Preservative:	Azide free
Storage:	-20 °C,-80 °C
Storage Comment:	Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-
	hazardous.
Expiry Date:	24 months