

Datasheet for ABIN7127034
anti-TNFRSF4 antibody (AA 59-205)



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	TNFRSF4
Binding Specificity:	AA 59-205
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TNFRSF4 antibody is un-conjugated
Application:	ELISA, Coating (Coat)

Product Details

Immunogen:	Recombinant fragment of human OX40 (CD134) protein (around aa 59-205) (exact sequence is proprietary)
Isotype:	IgG1
Specificity:	This MAb recognizes a protein of 43 kDa, identified as OX40, which is also known as CD134. OX40 is a type I integral membrane glycoprotein and member of the tumor necrosis factor/nerve growth factor receptor (TNFR/NGFR) family. It is expressed on activated T lymphocytes, hematopoietic precursor cells and fibroblasts. It functions as a T cell co-stimulatory receptor when bound by OX40 Ligand / TNFSF4 that is expressed by antigen presenting cells. OX40 thereby plays roles in T-cell activation as well as the regulation of differentiation, proliferation or apoptosis of normal and malignant lymphoid cells. OX40 is upregulated at the sites of inflammation, especially in case of multiple sclerosis and psoriatic lesions.

Product Details

Cross-Reactivity (Details):	Human and Chimpanzee.
Purification:	1.0mg/ml of Ab purified from Bioreactor by Protein A/G.

Target Details

Target:	TNFRSF4
Alternative Name:	TNFRSF4 (TNFRSF4 Products)
Background:	ACT35, CD134, Lymphoid activation antigen ACT35, OX40, TAX transcriptionally-activated glycoprotein 1 receptor, TNFRSF4 (Tumor necrosis factor receptor superfamily member 4),OX40 / CD134 / TNFRSF4 (Immuno-Oncology Target) Cellular localisation: Cell Surface
Molecular Weight:	43kDa
Gene ID:	7293, 129780
UniProt:	P43489
Pathways:	Production of Molecular Mediator of Immune Response, Cancer Immune Checkpoints

Application Details

Application Notes:	Known_Application: ELISA (For coating, order antibody without BSA),Optimal dilution for a specific application should be determined. Positive_Control: MOLT4, HuT78 cells or human peripheral blood leukocytes (hPBL).
Restrictions:	For Research Use only

Handling

Concentration:	1.0 mg/mL
Buffer:	Prepared in 10 mM PBS, WITHOUT BSA and Azide.
Preservative:	Azide free
Storage:	-20 °C,-80 °C
Storage Comment:	Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous.
Expiry Date:	24 months