

### Datasheet for ABIN713746

# anti-GDF10 antibody (AA 371-478) (Cy5.5)



#### Overview

| Quantity:            | 100 μL  |
|----------------------|---|
| Target:              | GDF10   |
| Binding Specificity: | AA 371-478  |
| Reactivity:          | Mouse, Rat  |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This GDF10 antibody is conjugated to Cy5.5  |
| Application:         | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
|                      |   |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human GDF10 |
|-----------------------|---|
| Isotype:              | IgG   |
| Cross-Reactivity:     | Mouse, Rat  |
| Predicted Reactivity: | Human,Pig,Horse,Guinea Pig                                |
| Purification:         | Purified by Protein A.                                    |

# Target Details

| Target:           | GDF10                  |
|-------------------|------------------------|
| Alternative Name: | GDF10 (GDF10 Products) |

## **Target Details**

| Synonyms: BIP, BMP 3b, BMP3B, Bone inducing protein, Bone morphogenetic protein 3b, GDF                            |
|--|
| 10, growth dferentiation factor 10.  |
| Background: GDF10, or growth differentiation factor 10, bone morphogenetic protein (BMP)                           |
| family and the TGF-beta superfamily. This group of proteins is characterized by a polybasic                        |
| proteolytic processing site which is cleaved to produce a mature protein containing seven                          |
| conserved cysteine residues. GDF10 is expressed in femur, brain, lung, skeletal muscle,                            |
| pancreas and testis.   |
| 2662   |
| P55107   |
|  |
| IF(IHC-P) 1:50-200   |
| IF(IHC-F) 1:50-200   |
| IF(ICC) 1:50-200   |
| For Research Use only  |
|  |
| Liquid   |
| 1 μg/μL  |
| Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| ProClin  |
| This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| -20 °C   |
| Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| 12 months  |
|  |