# antibodies -online.com





# anti-MARCKS antibody (pSer162)

2 Images



Go to Product page

#### Overview

Quantity:	100 μL
Target:	MARCKS
Binding Specificity:	pSer162
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARCKS antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)

#### Product Details

Troduct Details	
Immunogen:	Peptide sequence around phosphorylation site of serine 162 (K-K-S(p)-F-K) derived from Human MARCKS.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi

## Target Details

Target:	MARCKS
Alternative Name:	MARCKS (MARCKS Products)

#### **Target Details**

Background:

Background: MARCKS is the most prominent cellular substrate for protein kinase C. This protein binds calmodulin, actin, and synapsin. MARCKS is a filamentous (F) actin cross-linking protein.

Pariser H, et al. Proc Natl Acad Sci U S A 2005 Aug 30, 102(35): 12407-12412

Nagumo H, et al. Biochem Biophys Res Commun 2001 Jan 26, 280(3): 605-609

Yamamoto H, et al. Arch Biochem Biophys 1998 Nov 15, 359(2): 151-159

Aliases: 80 kDa protein antibody, 80K L antibody, 80K L protein antibody, 80K-L protein antibody, 80KL antibody, 81 kDa protein, light chain antibody, light chain antibody, MACS antibody, MARCKS antibody, MARCS antibody, MARCS\_HUMAN antibody, MGC52672 antibody, myristoylated alanine rich C kinase substrate antibody, Myristoylated alanine rich protein kinase C substrate (MARCKS, 80K L) antibody, Myristoylated alanine rich protein kinase C substrate antibody, Myristoylated alanine-rich C-kinase substrate antibody, Phosphomyristin antibody, PKCSL antibody, PRKCSL antibody, protein kinase C substrate 80 kDa protein light chain antibody, Protein kinase C substrate antibody

UniProt:

P29966

For Research Use only


### **Application Details**

Application Notes:	WB:1:500-1:1000, IF:1:100-1:200,

#### Handling


Restrictions:

Format:	Liquid
Buffer:	Supplied at 1.0 mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### Immunofluorescence

**Image 1.** Immunofluorescence staining of methanol-fixed Hela cells using MARCKS(Phospho-Ser162) Antibody.



#### **Western Blotting**

**Image 2.** Western blot analysis of extracts from 293 cells untreated or treated with PMA using MARCKS(Phospho-Ser162) Antibody.