antibodies - online.com







anti-DLGAP5 antibody (AA 51-150)





\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	DLGAP5
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DLGAP5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HURP
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Pig,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: DLGAP5


Target Details

Alternative Name:	HURP (DLGAP5 Products)
Background:	Synonyms: DAP-5, DAP5, Discs large homolog 7, Disks large associated protein 5, Disks large associated protein DLG7, Disks large-associated protein 5, Disks large-associated protein DLG7 DLG 1, DLG 7, DLG1, DLG7, DLGAP5, DLGP5_HUMAN, Drosophila discs large 1 tumor suppressor like, Hepatoma up regulated protein, Hepatoma up-regulated protein, Hurp. Background: Potential cell cycle regulator that may play a role in carcinogenesis of cancer cells. Mitotic phosphoprotein regulated by the ubiquitin-proteasome pathway. Key regulator of adherens junction integrity and differentiation that may be involved in CDH1-mediated adhesion and signaling in epithelial cells.
Gene ID:	1982
Pathways:	M Phase
Application Details	
Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions: Handling	For Research Use only
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence (Cultured Cells)

Image 1. HepG2 cells probed with Rabbit Anti-HURP Polyclonal Antibody (ABIN713861) at 1:200 for overnight 4C followed by Goat Anti-Rabbit IgG, Cy3 conjugated for 40 minutes, at room temperature.