

Datasheet for ABIN7139048
anti-CSF1R antibody (pTyr699)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	CSF1R
Binding Specificity:	pTyr699
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSF1R antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Peptide sequence around phosphorylation site of tyrosine 699 (V-D-Y(p)-K-N) derived from Human CSF1R.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using

Target Details

Target:	CSF1R
Alternative Name:	CSF1R (CSF1R Products)

Target Details

Background:	Background: Tyrosine-protein kinase that acts as cell-surface receptor for CSF1 and IL34 and plays an essential role in the regulation of survival, proliferation and differentiation of hematopoietic precursor cells, especially mononuclear phagocytes, such as macrophages and monocytes. Promotes the release of proinflammatory chemokines in response to IL34 and CSF1, and thereby plays an important role in innate immunity and in inflammatory processes. Plays an important role in the regulation of osteoclast proliferation and differentiation, the regulation of bone resorption, and is required for normal bone and tooth development. Required for normal male and female fertility, and for normal development of milk ducts and acinar structures in the mammary gland during pregnancy. Aliases: C FMS antibody, CD 115 antibody, CD115 antibody, CD115 antigen antibody, CFMS antibody, Colony stimulating factor 1 receptor antibody, Colony stimulating factor I receptor antibody, CSF 1 R antibody, CSF 1R antibody, CSF-1 receptor antibody, CSF-1-R antibody, CSF1 R antibody, CSF1R antibody, CSF1R_HUMAN antibody, CSFR antibody, EC 2.7.10.1 antibody, FIM 2 antibody, FIM2 antibody, FMS antibody, FMS proto oncogene antibody, FMS protooncogene antibody, HDLS antibody, M-CSF Receptor antibody, M-CSF-R antibody, Macrophage colony stimulating factor 1 receptor antibody, Macrophage colony stimulating factor I receptor antibody, Macrophage colony-stimulating factor 1 receptor antibody, McDonough feline sarcoma viral (v fms) oncogene homolog antibody, MCSFR antibody, Oncogen FMS antibody, Proto-oncogene c-Fms antibody, V-FMS McDonough feline sarcoma viral oncogen homolog, formerly antibody
-------------	--

UniProt:	P07333
----------	------------------------

Pathways:	RTK Signaling , Inositol Metabolic Process , Cell-Cell Junction Organization
-----------	--

Application Details

Application Notes:	WB:1:500-1:3000,
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Rabbit IgG in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Handling

	should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Western blot analysis of extracts from HepG2 cells, using CSFR (Phospho-Tyr699) antibody. The lane on the right is treated with the synthesized peptide.