antibodies -online.com







anti-PCGF1 antibody (AA 121-220)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	PCGF1
Binding Specificity:	AA 121-220
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PCGF1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PCGF1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target Details

larget Details	
Alternative Name:	PCGF1 (PCGF1 Products)
Background:	Synonyms: PCGF1, Nervous system Polycomb-1, NSPc1, Polycomb group RING finger protein
	1, RING finger protein 68, PCGF1_HUMAN, RNF68.
	Background: PCGF1 is a component of the Polycomb group (PcG) multiprotein BCOR complex
	a complex required to maintain the transcriptionally repressive state of some genes, such as
	BCL6 and the cyclin-dependent kinase inhibitor, CDKN1A. It represses CDKN1A expression by
	binding to its promoter, and this repression is dependent on the retinoic acid response element
	(RARE element). PCGF1 als promotes cell cycle progression and also enhances cell
	proliferation, thus it may have a positive role in tumor cell growth.
Gene ID:	84759
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200


Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

IF(ICC) 1:50-200

For Research Use only



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti-PCGF1 Polyclonal Antibody, Unconjugated (ABIN713951) at 1:200 followed by conjugation to the secondary antibody and DAB staining