# antibodies - online.com







# anti-HIST1H1E antibody (meLys147)

**Images** 



## Overview

Quantity:	100 μL
Target:	HIST1H1E
Binding Specificity:	meLys147
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HIST1H1E antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)

# **Product Details**

Immunogen:	Peptide sequence around site of Mono-methyl-Lys (147) derived from Human Histone H1.4
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

# Target Details

Target:	HIST1H1E
Alternative Name:	HIST1H1E (HIST1H1E Products)
Background:	Background: Histone H1 protein binds to linker DNA between nucleosomes forming the
	macromolecular structure known as the chromatin fiber. Histones H1 are necessary for the

## Target Details

condensation of nucleosome chains into higher-order structured fibers. Acts also as a regulator of individual gene transcription through chromatin remodeling, nucleosome spacing and DNA methylation (By similarity).

Aliases: H1 histone family member 4 antibody, H1.4 antibody, H14\_HUMAN antibody, H1E antibody, H1F4 antibody, Hist1h1e antibody, Histone 1 H1e antibody, Histone cluster 1 H1e antibody, Histone H1 antibody, Histone H1.4 antibody, Histone H1B antibody, MGC116819 antibody

UniProt:

P10412


# **Application Details**

Application Notes:	Recommended dilution: ICC:1:20-1:200, IF:1:50-1:200,
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Dragonyativo	DraClin
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Buffer:	Preservative: 0.03 % Proclin 300


Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



# Immunofluorescence

**Image 1.** Immunofluorescent analysis of MCF-7 cells using ABIN7139591 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)



# **Immunocytochemistry**

**Image 2.** Immunocytochemistry analysis of MCF-7 cells using ABIN7139591 at dilution of 1:100