



[Go to Product page](#)

Datasheet for ABIN7139607
anti-H2AFZ antibody (meLys7)

2 Images

Overview

Quantity:	100 µL
Target:	H2AFZ
Binding Specificity:	meLys7
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This H2AFZ antibody is un-conjugated
Application:	ELISA, Immunofluorescence (IF), Immunocytochemistry (ICC)

Product Details

Immunogen:	Peptide sequence around site of Mono-methyl-Lys (7) derived from Human Histone H2A.Z
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Antigen Affinity Purified

Target Details

Target:	H2AFZ
Alternative Name:	H2AFZ (H2AFZ Products)
Background:	Background: Variant histone H2A which replaces conventional H2A in a subset of nucleosomes. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility

Target Details

to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. May be involved in the formation of constitutive heterochromatin. May be required for chromosome segregation during cell division.

Aliases: H2A histone family member Z antibody, H2A.z antibody, H2A/z antibody, H2afz antibody, H2AZ antibody, H2AZ_HUMAN antibody, Histone H2A.Z antibody, MGC117173 antibody

UniProt: [P0C0S5](#)

Pathways: [Telomere Maintenance](#)

Application Details

Application Notes: Recommended dilution: ICC:1:20-1:200, IF:1:50-1:200,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunocytochemistry

Image 1. Immunocytochemistry analysis of HeLa cells using ABIN7139607 at dilution of 1:100



Immunofluorescence

Image 2. Immunofluorescent analysis of HeLa cells using ABIN7139607 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)