

Datasheet for ABIN7139910
anti-EDG4 antibody (AA 8-27) (FITC)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	EDG4 (LPAR2)
Binding Specificity:	AA 8-27
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EDG4 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Peptide sequence from Human Lysophosphatidic acid receptor 2 protein (8-27AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	EDG4 (LPAR2)
Alternative Name:	LPAR2 (LPAR2 Products)
Background:	Background: Receptor for lysophosphatidic acid (LPA), a mediator of diverse cellular activities. Seems to be coupled to the G(i)/G(o), G(12)/G(13), and G(q) families of heteromeric G proteins.

Target Details

Plays a key role in phospholipase C-beta (PLC-beta) signaling pathway. Stimulates phospholipase C (PLC) activity in a manner that is independent of RALA activation.

Aliases: EDG 4 antibody, EDG-4 antibody, EDG4 antibody, Endothelial Cell Differentiation Gene 4 antibody, Endothelial differentiation lysophosphatidic acid G protein coupled receptor 4 antibody, FLJ93869 antibody, G protein coupled receptor antibody, IPA2 antibody, LPA 2 antibody, LPA receptor 2 antibody, LPA receptor EDG4 antibody, LPA-2 antibody, LPA2 antibody, LPAR2 antibody, LPAR2_HUMAN antibody, Lysophosphatidic acid receptor 2 antibody, Lysophosphatidic acid receptor Edg 4 antibody, Lysophosphatidic acid receptor Edg-4 antibody, Lysophosphatidic acid receptor EDG4 antibody

UniProt: [Q9HBW0](#)

Application Details

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.