

Datasheet for ABIN7140235  
**anti-WFIKKN1 antibody (AA 187-207)**[Go to Product page](#)

## 1 Image

## Overview

|                      |  |
|----------------------|--|
| Quantity:            | 100 µL                                 |
| Target:              | WFIKKN1                                |
| Binding Specificity: | AA 187-207                             |
| Reactivity:          | Human                                  |
| Host:                | Rabbit                                 |
| Clonality:           | Polyclonal                             |
| Conjugate:           | This WFIKKN1 antibody is un-conjugated |
| Application:         | ELISA, Immunohistochemistry (IHC)      |

## Product Details

|                   |  |
|-------------------|--|
| Immunogen:        | Peptide sequence from Human WAP, Kazal, immunoglobulin, Kunitz and NTR domain-containing protein 1 protein (187-207AA) |
| Isotype:          | IgG  |
| Cross-Reactivity: | Human  |
| Purification:     | >95%, Protein G purified   |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | WFIKKN1  |
| Alternative Name: | WFIKKN1 ( <a href="#">WFIKKN1 Products</a> )   |
| Background:       | Background: Protease-inhibitor that contains multiple distinct protease inhibitor domains. |

## Target Details

Probably has serine protease- and metalloprotease-inhibitor activity (By similarity).

Aliases: WFIKKN1 antibody, C16orf12 antibody, GASP2 antibody, WFIKKN antibody, PSEC0040 antibody, WAP antibody, Kazal antibody, immunoglobulin antibody, Kunitz and NTR domain-containing protein 1 antibody, Growth and differentiation factor-associated serum protein 2 antibody, GASP-2 antibody, hGASP-2 antibody, WAP antibody, follistatin antibody, immunoglobulin antibody, Kunitz and NTR domain-containing protein antibody

UniProt: [Q96NZ8](#)

## Application Details

Application Notes: Recommended dilution: IHC:1:200-1:500,

Restrictions: For Research Use only

## Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### Immunohistochemistry

**Image 1.** IHC image of ABIN7140235 diluted at 1:300 and staining in paraffin-embedded human liver cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.