antibodies -online.com





anti-MICAL1 antibody (AA 806-1067) (FITC)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	MICAL1
Binding Specificity:	AA 806-1067
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MICAL1 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human [F-actin]-methionine sulfoxide oxidase MICAL1 protein (806-1067AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	MICAL1	
Alternative Name:	MICAL1 (MICAL1 Products)	
Background:	Background: Monooxygenase that promotes depolymerization of F-actin by mediating	
	oxidation of specific methionine residues on actin. Acts by modifying actin subunits through the	

addition of oxygen to form methionine-sulfoxide, leading to promote actin filament severing and prevent repolymerization (Probable). Acts as a cytoskeletal regulator that connects NEDD9 to intermediate filaments. Also acts as a negative regulator of apoptosis via its interaction with STK38 and STK38L, acts by antagonizing STK38 and STK38L activation by MST1/STK4. Involved in regulation of lamina-specific connectivity in the nervous system such as the development of lamina-restricted hippocampal connections. Through redox regulation of the actin cytoskeleton controls the intracellular distribution of sectrory vesicles containing L1/neurofascin/NgCAM family proteins in neurons, thereby regulating their cell surface levels (By similarity). May act as Rab effector protein and play a role in vesicle trafficking. Aliases: CasL interacting molecule antibody, DKFZp434B1517 antibody, FLJ11937 antibody, FLJ21739 antibody, MICA1_HUMAN antibody, MICAL 1 antibody, MICAL antibody, MICAL antibody, MICAL1 antibody, Mical a

UniProt:

Q8TDZ2

Application Details

Restrictions:	

For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	