## antibodies - online.com







## anti-DPH1 antibody (AA 192-318) (FITC)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Overview		
Quantity:	100 μg	
Target:	DPH1	
Binding Specificity:	AA 192-318	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DPH1 antibody is conjugated to FITC	
Application:	Please inquire	
Product Details		
Immunogen:	Recombinant Human 2-(3-amino-3-carboxypropyl)histidine synthase subunit 1 protein (192-318AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	
Target Details		
Target:	DPH1	
Alternative Name:	DPH1 (DPH1 Products)	
Background:	Background: Required for the first step in the synthesis of diphthamide, a post-translational	

modification of histidine which occurs in translation elongation factor 2 (EEF2). When overexpressed, suppresses colony formation ability and growth rate of ovarian cancer cells. Acts also as a tumor suppressor in lung and breast cancers (By similarity). Plays a role in embryonic growth, organogenesis and postnatal survival.

Aliases: Candidate tumor suppressor in ovarian cancer 1 antibody, Diphthamide biosynthesis protein 1 antibody, Diphthamide biosynthesis protein 2 homolog like 1 antibody, Diphthamide biosynthesis protein 2 homolog-like 1 antibody, Diphthamide biosynthesis protein 2 like antibody, Diphthamide biosynthesis protein 2-like antibody, Diphthamide biosynthesis (Saccharomyces) like 1 antibody, Diphthamide biosynthesis (Saccharomyces) like 1 antibody, DPH like 1 (S. cerevisiae) antibody, DPH like 1 antibody, DPH-like 1 antibody, DPH1 antibody, DPH1 homolog (S. cerevisiae) antibody, DPH1 homolog antibody, DPH1\_HUMAN antibody, DPH2 like 1 antibody, DPH2-like 1 antibody, DPH3-like 1 an

UniProt:

Q9BZG8

## **Application Details**

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	