antibodies -online.com





anti-PSMD11 antibody (Regulatory Subunit 11) (FITC)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μg
Target:	PSMD11
Binding Specificity:	AA 2-422, Regulatory Subunit 11
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMD11 antibody is conjugated to FITC
Application:	Please inquire

Product Details

Immunogen:	Recombinant Human 26S proteasome non-ATPase regulatory subunit 11 protein (2-422AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	PSMD11	
Alternative Name:	PSMD11 (PSMD11 Products)	
Background:	Background: The 26S proteasome is a multicatalytic proteinase complex with a highly ordered	
	structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is	

composed of 4 rings of 28 non-identical subunits, 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits.

Aliases: 26S proteasome non-ATPase regulatory subunit 11 antibody, 26S proteasome regulatory subunit 9 antibody, 26S proteasome regulatory subunit p44.5 antibody, 26S proteasome regulatory subunit RPN6 antibody, 26S proteasome regulatory subunit S9 antibody, MGC3844 antibody, p44.5 antibody, protease 26S, subunit, 9 antibody, proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 antibody, proteasome 26S subunit, non-ATPase, 11 antibody, PSD11_HUMAN antibody, PSMD 11 antibody, PSMD11 antibody, Rpn6 antibody, S9 antibody

UniProt:

000231

Pathways:

Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA, Ubiquitin Proteasome Pathway

Application Details

Restrictions:

For Research Use only

Handling

Storage Comment:

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.