# antibodies .- online.com





## anti-PSMD9 antibody (Regulatory Subunit 9) (HRP)



Go to Product page

( )	ve	K\ /		
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μg
Target:	PSMD9
Binding Specificity:	AA 103-150, Regulatory Subunit 9
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMD9 antibody is conjugated to HRP
Application:	ELISA

#### **Product Details**

Immunogen:	Recombinant Human 26S proteasome non-ATPase regulatory subunit 9 protein (103-150AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	PSMD9	
Alternative Name:	PSMD9 (PSMD9 Products)	
Background:	Background: Acts as a chaperone during the assembly of the 26S proteasome, specifically of	
	the base subcomplex of the PA700/19S regulatory complex (RC). During the base subcomplex	

assembly is part of an intermediate PSMD9:PSMC6:PSMC3 module, also known as modulator trimer complex, PSMD9 is released during the further base assembly process.

Aliases: 26S proteasome non ATPase regulatory subunit 9 antibody, 26S proteasome non-ATPase regulatory subunit 9 antibody, 26S proteasome regulatory subunit p27 antibody, Homolog of rat Bridge 1 antibody, MGC8644 antibody, p27 antibody, Proteasome (prosome macropain) 26S subunit non ATPase 9 antibody, Proteasome 26S non ATPase regulatory subunit 9 antibody, Proteasome 26S subunit non ATPase 9 antibody, PSMD 9 antibody, Psmd9 antibody, PSMD9\_HUMAN antibody, Rpn4 antibody

UniProt:

000233

Pathways:

Positive Regulation of Peptide Hormone Secretion, Negative Regulation of Hormone Secretion, Mitotic G1-G1/S Phases, DNA Replication, Synthesis of DNA, Ubiquitin Proteasome Pathway

#### **Application Details**

Storage Comment:

Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	

Format:

Buffer:

Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative:

ProClin

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:

-20 °C,-80 °C

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.