

[Go to Product page](#)

Datasheet for ABIN7142235

anti-PSMC4 antibody (Regulatory Subunit 6B) (Biotin)

Overview

| | |
|----------------------|---|
| Quantity: | 100 µg |
| Target: | PSMC4 |
| Binding Specificity: | AA 112-181, Regulatory Subunit 6B |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PSMC4 antibody is conjugated to Biotin |
| Application: | ELISA |

Product Details

| | |
|-------------------|--|
| Immunogen: | Recombinant Human 26S proteasome regulatory subunit 6B protein (112-181AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|---|
| Target: | PSMC4 |
| Alternative Name: | PSMC4 (PSMC4 Products) |
| Background: | Background: Component of the 26S proteasome, a multiprotein complex involved in the ATP-dependent degradation of ubiquitinated proteins. This complex plays a key role in the |

Target Details

maintenance of protein homeostasis by removing misfolded or damaged proteins, which could impair cellular functions, and by removing proteins whose functions are no longer required. Therefore, the proteasome participates in numerous cellular processes, including cell cycle progression, apoptosis, or DNA damage repair. PSMC4 belongs to the heterohexameric ring of AAA (ATPases associated with diverse cellular activities) proteins that unfolds ubiquitinated target proteins that are concurrently translocated into a proteolytic chamber and degraded into peptides.

Aliases: 26S protease regulatory subunit 6B antibody, 26S proteasome AAA ATPase subunit RPT3 antibody, 26S proteasome AAA-ATPase subunit RPT3 antibody, MB67 interacting protein antibody, MB67-interacting protein antibody, MIP224 antibody, Protease 26S subunit 6 antibody, Proteasome (prosome macropain) 26S subunit ATPase 4 antibody, Proteasome 19S S6 antibody, Proteasome 26S subunit ATPase 4 antibody, Proteasome 26S subunit, ATPase, 4 antibody, PRS6B_HUMAN antibody, PSMC4 antibody, RPT3 antibody, S6 antibody, Tat binding protein 7 antibody, TAT-binding protein 7 antibody, TBP 7 antibody, TBP-7 antibody

UniProt: [P43686](#)

Pathways: [Mitotic G1-G1/S Phases](#), [DNA Replication](#), [Synthesis of DNA](#), [Ubiquitin Proteasome Pathway](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.