# antibodies .- online.com







# anti-HMGCR antibody (AA 588-887) (FITC)



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μg
Target:	HMGCR
Binding Specificity:	AA 588-887
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HMGCR antibody is conjugated to FITC
Application:	Please inquire

#### **Product Details**

Immunogen:	Recombinant Human 3-hydroxy-3-methylglutaryl-coenzyme A reductase protein (588-887AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

## Target Details

Target:	HMGCR
Alternative Name:	HMGCR (HMGCR Products)
Background:	Background: Transmembrane glycoprotein that is the rate-limiting enzyme in cholesterol
	biosynthesis as well as in the biosynthesis of nonsterol isoprenoids that are essential for

	normal cell function including ubiquinone and geranylgeranyl proteins.  Aliases: 3 hydroxy 3 methylglutaryl CoA reductase antibody, 3 hydroxy 3 methylglutaryl	
	Coenzyme A reductase antibody, 3 hydroxymethylglutaryl CoA reductase antibody, 3-hydroxy-3-methylglutaryl CoA reductase (NADPH) antibody, 3-hydroxy-3-methylglutaryl-coenzyme A reductase antibody, 3H3M antibody, HMDH_HUMAN antibody, HMG CoA reductase antibody,	
	HMG CoAR antibody, HMG-CoA reductase antibody, Hmgcr antibody, Hydroxymethylglutaryl CoA reductase antibody, LDLCQ3 antibody, MGC103269 antibody, Red antibody	
UniProt:	P04035	
Pathways:	AMPK Signaling, Negative Regulation of Hormone Secretion, Regulation of Lipid Metabolism by PPARalpha	

## **Application Details**

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.