# antibodies - online.com







# anti-BDH2 antibody (AA 1-245)





### Overview

Quantity:	100 μg
Target:	BDH2
Binding Specificity:	AA 1-245
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BDH2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

# **Product Details**

Immunogen:	Recombinant Human 3-hydroxybutyrate dehydrogenase type 2 protein (1-245AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

# Target Details

Target:	BDH2
Alternative Name:	BDH2 (BDH2 Products)
Background:	Background: Dehydrogenase that mediates the formation of 2,5-dihydroxybenzoic acid (2,5-
	DHBA), a siderophore that shares structural similarities with bacterial enterobactin and

associates with LCN2, thereby playing a key role in iron homeostasis and transport. Also acts as a 3-hydroxybutyrate dehydrogenase (By similarity).

Aliases: 3 hydroxybutyrate dehydrogenase type 2 antibody, 3-hydroxybutyrate dehydrogenase type 2 antibody, BDH 2 antibody, BDH2 antibody, BDH2\_HUMAN antibody,

Dehydrogenase/reductase (SDR family) member 6 antibody, Dehydrogenase/reductase SDR family member 6 antibody, DHRS6 antibody, EFA6R antibody, FLJ13261 antibody,

Oxidoreductase ucpA antibody, PRO20933 antibody, R beta hydroxybutyrate dehydrogenase antibody, R-beta-hydroxybutyrate dehydrogenase antibody, SDR15C1 antibody, Short chain dehydrogenase/reductase family 15C member 1 antibody, UCPA OR antibody, UNQ6308 antibody

UniProt:

Q9BUT1

Pathways:

Transition Metal Ion Homeostasis, Monocarboxylic Acid Catabolic Process


# **Application Details**

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only


# Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



# **Immunohistochemistry**

**Image 1.** Immunohistochemistry of paraffin-embedded human kidney tissue using ABIN7142304 at dilution of 1:100



# **Immunohistochemistry**

**Image 2.** Immunohistochemistry of paraffin-embedded human liver tissue using ABIN7142304 at dilution of 1:100