.-online.com antibodies

Datasheet for ABIN7142780 anti-RPL26 antibody (AA 48-143)

2 Images



Overview

Quantity:	100 µg
Target:	RPL26
Binding Specificity:	AA 48-143
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RPL26 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Recombinant Human 60S ribosomal protein L26 protein (48-143AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	RPL26
Alternative Name:	RPL26 (RPL26 Products)
Background:	Background: cytosol, cytosolic large ribosomal subunit, extracellular exosome, membrane,
	poly(A) RNA binding, RNA binding, structural constituent of ribosome, cytoplasmic translation,


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7142780 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Storage:

	nuclear-transcribed mRNA catabolic process, nonsense-mediated decay, ribosomal large
	subunit biogenesis
	Aliases: tibody, 60S ribosomal protein L26 antibody, 60S ribosomal protein L26 like 1 antibody,
	DBA11 antibody, FLJ46904 antibody, L26 antibody, OTTHUMP00000135333 antibody, PTB
	associated splicing factor antibody, Ribosomal protein L26 antibody, Ribosomal protein L26
	homolog antibody, Ribosomal protein L26 like 1 antibody, Ribosomal protein L26 pseudogene 1
	antibody, RL26_HUMAN antibody, rpl26 antibody, RPL26P1 antibody
UniProt:	P61254
Application Details	
Application Notes:	Recommended dilution: IHC:1:500-1:1000, IF:1:50-1:200,
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300
	Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

-20 °C,-80 °C



Immunohistochemistry

Image 1. IHC image of ABIN7142780 diluted at 1:600 and staining in paraffin-embedded human ovarian cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

Immunofluorescence

Image 2. Immunofluorescent analysis of HepG2 cells using ABIN7142780 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)

