

Datasheet for ABIN7142882

anti-ADAMTS15 antibody (AA 801-913)[Go to Product page](#)**1** Image

Overview

| | |
|----------------------|-----------------------------------------|
| Quantity: | 100 µg |
| Target: | ADAMTS15 |
| Binding Specificity: | AA 801-913 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ADAMTS15 antibody is un-conjugated |
| Application: | ELISA, Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|---------------------------------------------------------------------------------------------------------|
| Immunogen: | Recombinant Human A disintegrin and metalloproteinase with thrombospondin motifs 15 protein (801-913AA) |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | >95%, Protein G purified |

Target Details

| | |
|-------------------|------------------------------------------------------------------------------------------------|
| Target: | ADAMTS15 |
| Alternative Name: | ADAMTS15 (ADAMTS15 Products) |
| Background: | A disintegrin and metalloproteinase with thrombospondin motifs 15 antibody, A disintegrin like |

Target Details

and metalloprotease reprotysin type with thrombospondin type 1 motif 15 antibody, A disintegrin like and metalloprotease reprotysin type with thrombospondin type 1 motif 15 preproprotein antibody, A disintegrin like and metalloprotease with thrombospondin type 1 motif 15 antibody, A disintegrin like and metalloprotease with thrombospondin type 1 motif 15 preproprotein antibody, ADAM metallopeptidase with thrombospondin type 1 motif 15 antibody, ADAM TS 15 antibody, ADAM TS15 antibody, ADAM-TS 15 antibody, ADAM-TS15 antibody, ADAMTS 15 antibody, ADAMTS-15 antibody, ADAMTS15 antibody, ATS15_HUMAN antibody, MGC126403 antibody

UniProt: [Q8TE58](#)

Application Details

Application Notes: Recommended dilution: IHC:1:200-1:500,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. IHC image of ABIN7142882 diluted at 1:400 and staining in paraffin-embedded human colon cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.