

Datasheet for ABIN714314 anti-FAP antibody (AA 311-410) (Cy3)



Go to Product page

| Overview | |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Quantity: | 100 μL |
| Target: | FAP |
| Binding Specificity: | AA 311-410 |
| Reactivity: | Human, Mouse, Cow |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This FAP antibody is conjugated to Cy3 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human FAPA |
| Isotype: | IgG |
| Cross-Reactivity: | Cow, Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow,Pig,Horse |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | FAP |
| | |

Target Details

| Background: | Synonyms: FAPA, DPPIV, Prolyl endopeptidase FAP, 17 kDa melanoma membrane-bound gelatinase, Dipeptidyl peptidase FAP, Fibroblast activation protein alpha, FAPalpha, Gelatine degradation protease FAP, Integral membrane serine protease, Post-proline cleaving enzyme, Serine integral membrane protease, SIMP, Surface-expressed protease, Seprase, FAP Background: In association with DPP4 is involved in the pericellular proteolysis of the extracellular matrix (ECM), the migration and invasion of endothelial cells into the ECM. May have a role in tissue remodeling during development and wound healing, and may contribute to invasiveness in malignant cancers. |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gene ID: | 2191 |
| UniProt: | Q12884 |
| Pathways: | Tube Formation |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 |
| Restrictions: Handling | For Research Use only |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |