



Datasheet for ABIN7143605  
**anti-AIP antibody (AA 105-294)**



[Go to Product page](#)

1 Image

### Overview

Quantity:	100 µg
Target:	AIP
Binding Specificity:	AA 105-294
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AIP antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

### Product Details

Immunogen:	Recombinant Human AH receptor-interacting protein (105-294AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

### Target Details

Target:	AIP
Alternative Name:	AIP ( <a href="#">AIP Products</a> )
Background:	Background: May play a positive role in AHR-mediated (aromatic hydrocarbon receptor) signaling, possibly by influencing its receptivity for ligand and/or its nuclear targeting.

## Target Details

---

Aliases: AH receptor interacting protein antibody, AH receptor-interacting protein antibody, AIP antibody, AIP\_HUMAN antibody, ARA 9 antibody, ARA9 antibody, Aryl hydrocarbon receptor interacting protein antibody, Aryl-hydrocarbon receptor-interacting protein antibody, fa03h10 antibody, FKBP 16 antibody, FKBP 37 antibody, FKBP16 antibody, FKBP37 antibody, HBV X associated protein 2 antibody, HBV X associated protein antibody, HBV X-associated protein 2 antibody, HBVX associated protein antibody, Immunophilin homolog ARA 9 antibody, Immunophilin homolog ARA9 antibody, SMTPHN antibody, XAP 2 antibody, XAP-2 antibody, XAP2 antibody

---

UniProt: [O00170](#)

## Application Details

---

Application Notes: Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### Immunohistochemistry

**Image 1.** Immunohistochemistry of paraffin-embedded human adrenal gland tissue using ABIN7143605 at dilution of 1:100