antibodies -online.com







Image



Go to Product page

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	LRPAP1
Binding Specificity:	AA 35-357
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRPAP1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Recombinant Human Alpha-2-macroglobulin receptor-associated protein (35-357AA)	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	>95%, Protein G purified	

Target Details

Target:	LRPAP1
Alternative Name:	LRPAP1 (LRPAP1 Products)
Background:	Background: Molecular chaperone for LDL receptor-related proteins that may regulate their ligand binding activity along the secretory pathway.

Target Details


Aliases: 39 kDa receptor-associated protein antibody, A2MRAP antibody, A2RAP antibody, Alpha 2 macroglobulin receptor associated protein antibody, Alpha 2 MRAP antibody, Alpha-2-macroglobulin receptor-associated protein antibody, Alpha-2-MRAP antibody, AMRP_HUMAN antibody, HBP44 antibody, Lipoprotein receptor associated protein antibody, Low density lipoprotein receptor related protein associated protein 1 antibody, Low density lipoprotein receptor-related protein-associated protein 1 antibody, Low density lipoprotein related protein associated protein 1 antibody, low density lipoprotein related protein associated protein 1 antibody, low density lipoprotein-related protein-associated protein 1 (alpha-2-macroglobulin receptor-associated protein 1) antibody, Lrpap1 antibody, MGC138272 antibody, MRAP antibody, MYP23 antibody, RAP antibody

UniProt:

P30533

Application Details

Application Notes:	Recommended dilution: WB:1:1000-1:5000,
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot Positive WB detected in: THP-1 whole cell lysate, A375 whole cell lysate All lanes: LRPAP1 antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 42 kDa Observed band size: 42 kDa