

## Datasheet for ABIN7144854

## anti-ATP5F1D antibody (AA 32-158) (FITC)



_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

0.101.1011			
Quantity:	100 μg		
Target:	ATP5F1D		
Binding Specificity:	AA 32-158		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This ATP5F1D antibody is conjugated to FITC		
Application:	Please inquire		
Product Details			
Immunogen:	Recombinant Human ATP synthase subunit delta, mitochondrial protein (32-158AA)		
Isotype:	IgG		
Cross-Reactivity:	Human		
Purification:	>95%, Protein G purified		
Target Details			
Target:	ATP5F1D		
Alternative Name:	ATP5F1D (ATP5F1D Products)		
Background:	Background: Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is		

generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core, and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP turnover in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F1 domain and of the central stalk which is part of the complex rotary element. Rotation of the central stalk against the surrounding alpha3beta3 subunits leads to hydrolysis of ATP in three separate catalytic sites on the beta subunits.

Aliases: ATP synthase subunit delta, mitochondrial antibody, ATP synthase subunit delta, mitochondrial antibody, ATP synthase, H+ transporting, mitochondrial F1 complex, delta subunit antibody, ATP5D antibody, ATPD\_HUMAN antibody, F ATPase delta subunit antibody, Mitochondrial ATP synthase complex delta subunit precusor antibody, Mitochondrial ATP synthase delta subunit antibody

UniProt:

P30049

Pathways:

Proton Transport, Ribonucleoside Biosynthetic Process

## **Application Details**

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300	
	Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	