

[Go to Product page](#)

Datasheet for ABIN7144855  
**anti-ATP5F1D antibody (AA 32-158) (HRP)**

## Overview

Quantity:	100 µg
Target:	ATP5F1D
Binding Specificity:	AA 32-158
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATP5F1D antibody is conjugated to HRP
Application:	ELISA

## Product Details

Immunogen:	Recombinant Human ATP synthase subunit delta, mitochondrial protein (32-158AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## Target Details

Target:	ATP5F1D
Alternative Name:	ATP5F1D ( <a href="#">ATP5F1D Products</a> )
Background:	Background: Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is

## Target Details

generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core, and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP turnover in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F1 domain and of the central stalk which is part of the complex rotary element. Rotation of the central stalk against the surrounding alpha3beta3 subunits leads to hydrolysis of ATP in three separate catalytic sites on the beta subunits.

Aliases: ATP synthase subunit delta, mitochondrial antibody, ATP synthase subunit delta, mitochondrial antibody, ATP synthase, H<sup>+</sup> transporting, mitochondrial F1 complex, delta subunit antibody, ATP5D antibody, ATPD\_HUMAN antibody, F ATPase delta subunit antibody, F-ATPase delta subunit antibody, Mitochondrial ATP synthase complex delta subunit precursor antibody, Mitochondrial ATP synthase delta subunit antibody

UniProt: [P30049](#)

Pathways: [Proton Transport](#), [Ribonucleoside Biosynthetic Process](#)

## Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300  
Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.