

Datasheet for ABIN7144916
anti-CCL17 antibody (AA 559-715)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	CCL17
Binding Specificity:	AA 559-715
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL17 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Recombinant Human ATP-binding cassette sub-family D member 2 protein (559-715AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	CCL17
Alternative Name:	ABCD2 (CCL17 Products)
Background:	Background: Probable transporter. Aliases: ABC39 antibody, Abcd2 antibody, ABCD2_HUMAN antibody, Adrenoleukodystrophy-like

Target Details

1 antibody, Adrenoleukodystrophy-related protein antibody, ALDL1 antibody, ALDR antibody, ALDRP antibody, ATP-binding cassette sub-family D member 2 antibody, hALDR antibody

UniProt: [Q9UBJ2](#)

Application Details

Application Notes: Recommended dilution: IHC:1:200-1:500,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4


Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunohistochemistry

Image 1. IHC image of ABIN7144916 diluted at 1:200 and staining in paraffin-embedded human colon cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.