Datasheet for ABIN7145233

antibodies .-online.com



## anti-BBS1 antibody (AA 217-417) (FITC)

| Quantity:            | 100 µg                                   |
|----------------------|--|
| Target:              | BBS1                                     |
| Binding Specificity: | AA 217-417                               |
| Reactivity:          | Human                                    |
| Host:                | Rabbit                                   |
| Clonality:           | Polyclonal                               |
| Conjugate:           | This BBS1 antibody is conjugated to FITC |
| Application:         | Please inquire                           |

## Product Details

Overview

| Immunogen:        | Recombinant Human Bardet-Biedl syndrome 1 protein (217-417AA) |
|-------------------|---|
| Isotype:          | lgG   |
| Cross-Reactivity: | Human   |
| Purification:     | >95%, Protein G purified                                      |

## Target Details

| Target:           | BBS1   |
|-------------------|--|
| Alternative Name: | BBS1 (BBS1 Products)   |
| Background:       | Background: The BBSome complex is thought to function as a coat complex required for           |
|                   | sorting of specific membrane proteins to the primary cilia. The BBSome complex is required for |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7145233 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

|                     | ciliogenesis but is dispensable for centriolar satellite function. This ciliogenic function is |
|---------------------|--|
|                     | mediated in part by the Rab8 GDP/GTP exchange factor, which localizes to the basal body and    |
|                     | contacts the BBSome. Rab8(GTP) enters the primary cilium and promotes extension of the         |
|                     | ciliary membrane. Firstly the BBSome associates with the ciliary membrane and binds to         |
|                     | RAB3IP/Rabin8, the guanosyl exchange factor (GEF) for Rab8 and then the Rab8-GTP localizes     |
|                     | to the cilium and promotes docking and fusion of carrier vesicles to the base of the ciliary   |
|                     | membrane. The BBSome complex, together with the LTZL1, controls SMO ciliary trafficking and    |
|                     | contributes to the sonic hedgehog (SHH) pathway regulation. Required for proper BBSome         |
|                     | complex assembly and its ciliary localization.   |
|                     | Aliases: Al451249 antibody, Bardet-Biedl syndrome 1 antibody, Bardet-Biedl syndrome 1          |
|                     | homolog antibody, Bardet-Biedl syndrome 1 protein antibody, BBS1 antibody, BBS1_HUMAN          |
|                     | antibody, BBS2-like protein 2 antibody, BBS2L2 antibody, D19Ertd609e antibody                  |
| UniProt:            | Q8NFJ9   |
| Pathways:           | Hedgehog Signaling   |
| Application Details |  |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Buffer:             | Preservative: 0.03 % Proclin 300   |
|                     | Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4   |
| Preservative:       | ProClin  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be             |
|                     | handled by trained staff only.   |
| Storage:            | -20 °C,-80 °C  |
| Storage Comment:    | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                                  |
|                     |  |