antibodies .- online.com





anti-BANF1 antibody (AA 2-89) (Biotin)



Overview

Quantity:	100 μg
Target:	BANF1
Binding Specificity:	AA 2-89
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BANF1 antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human Barrier-to-autointegration factor protein (2-89AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	BANF1
Alternative Name:	BANF1 (BANF1 Products)
Background:	Background: Plays fundamental roles in nuclear assembly, chromatin organization, gene
	expression and gonad development. May potently compress chromatin structure and be

involved in membrane recruitment and chromatin decondensation during nuclear assembly. Contains 2 non-specific dsDNA-binding sites which may promote DNA cross-bridging. Exploited by retroviruses for inhibiting self-destructing autointegration of retroviral DNA, thereby promoting integration of viral DNA into the host chromosome. EMD and BAF are cooperative cofactors of HIV-1 infection. Association of EMD with the viral DNA requires the presence of BAF and viral integrase. The association of viral DNA with chromatin requires the presence of BAF and EMD.

Aliases: BAF antibody, BAF_HUMAN antibody, BANF 1 antibody, BANF1 antibody, Barrier to autointegration factor 1 antibody, Barrier to autointegration factor antibody, BCRG 1 antibody, BCRG1 antibody, BCRP 1 antibody, BCRP1 antibody, Breakpoint cluster region protein 1 antibody, D14S1460 antibody, MGC111161 antibody, NGPS antibody

UniProt:

075531

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer: Preservative: 0.03 % Proclin 300
Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.