

# Datasheet for ABIN7145585

## anti-NR1H4 antibody (AA 1-476) (Biotin)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	100 μg
Target:	NR1H4
Binding Specificity:	AA 1-476
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NR1H4 antibody is conjugated to Biotin
Application:	ELISA

### **Product Details**

Immunogen:	Recombinant Human Bile acid receptor protein (1-476AA)
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

## **Target Details**

Target:	NR1H4
Alternative Name:	NR1H4 (NR1H4 Products)
Background:	Background: Ligand-activated transcription factor. Receptor for bile acids such as
	chenodeoxycholic acid, lithocholic acid and deoxycholic acid. Represses the transcription of the

cholesterol 7-alpha-hydroxylase gene (CYP7A1) through the induction of NR0B2 or FGF19 expression, via two distinct mechanisms. Activates the intestinal bile acid-binding protein (IBABP). Activates the transcription of bile salt export pump ABCB11 by directly recruiting histone methyltransferase CARM1 to this locus.

Aliases: BAR antibody, Bile acid receptor antibody, Farnesoid X activated receptor antibody, Farnesoid X receptor antibody, Farnesoid X-activated receptor antibody, Farnesol receptor HRR 1 antibody, Farnesol receptor HRR-1 antibody, Farnesol receptor HRR1 antibody, FXR antibody, HRR 1 antibody, HRR1 antibody, NR1H4 antibody, NR1H4\_HUMAN antibody, Nuclear receptor subfamily 1 group H member 4 antibody, Retinoid X receptor interacting protein 14 antibody, Retinoid X receptor-interacting protein 14 antibody, RIP 14 antibody, RIP14 antibody, RXR interacting protein 14 antibody, RXR-interacting protein 14 antibody

UniProt: Q96RI1

Pathways: Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway,

Regulation of Carbohydrate Metabolic Process

#### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	