-online.com antibodies

Datasheet for ABIN7145789 anti-BRE antibody (AA 94-383) (Biotin)



Overview

Quantity:	100 µg
Target:	BRE
Binding Specificity:	AA 94-383
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRE antibody is conjugated to Biotin
Application:	ELISA

Product Details

Immunogen:	Recombinant Human BRISC and BRCA1-A complex member 2 protein (94-383AA)
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	>95%, Protein G purified

Target Details

Target:	BRE
Alternative Name:	BABAM2 (BRE Products)
Background:	Background: Component of the BRCA1-A complex, a complex that specifically recognizes \'Lys-
	63\'-linked ubiquitinated histones H2A and H2AX at DNA lesions sites, leading to target the

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7145789 | 09/09/2023 | Copyright antibodies-online. All rights reserved. BRCA1-BARD1 heterodimer to sites of DNA damage at double-strand breaks (DSBs). The BRCA1-A complex also possesses deubiquitinase activity that specifically removes \'Lys-63\'linked ubiquitin on histones H2A and H2AX (PubMed:17525341, PubMed:19261746, PubMed:19261749, PubMed:19261748). In the BRCA1-A complex, it acts as an adapter that bridges the interaction between BABAM1/NBA1 and the rest of the complex, thereby being required for the complex integrity and modulating the E3 ubiquitin ligase activity of the BRCA1-BARD1 heterodimer (PubMed:21282113, PubMed:19261748). Component of the BRISC complex, a multiprotein complex that specifically cleaves \'Lys-63\'-linked ubiquitin in various substrates (PubMed:19214193, PubMed:24075985, PubMed:25283148, PubMed:26195665). Within the BRISC complex, acts as an adapter that bridges the interaction between BABAM1/NBA1 and the rest of the complex, thereby being required for the complex integrity (PubMed:21282113). The BRISC complex is required for normal mitotic spindle assembly and microtubule attachment to kinetochores via its role in deubiquitinating NUMA1 (PubMed:26195665). The BRISC complex plays a role in interferon signaling via its role in the deubiguitination of the interferon receptor IFNAR1, deubiguitination increases IFNAR1 activity by enhancing its stability and cell surface expression (PubMed:24075985). Down-regulates the response to bacterial lipopolysaccharide (LPS) via its role in IFNAR1 deubiquitination (PubMed:24075985). May play a role in homeostasis or cellular differentiation in cells of neural, epithelial and germline origins. May also act as a death receptor-associated anti-apoptotic protein, which inhibits the mitochondrial apoptotic pathway. May regulate TNF-alpha signaling through its interactions with TNFRSF1A, however these effects may be indirect (PubMed:15465831). Aliases: 6030405P19Rik antibody, Al429776 antibody, B830038C02Rik antibody, Brain and

Aliases: 6030405P19Rik antibody, Al429776 antibody, B830038C02Rik antibody, Brain and reproductive organ expressed (TNFRSF1A modulator) antibody, brain and reproductive organ expressed protein antibody, Brain and reproductive organ-expressed protein antibody, BRCA1 A complex subunit BRE antibody, BRCA1-A complex subunit BRE antibody, BRCA1/BRCA2 containing complex subunit 4 antibody, BRCA1/BRCA2 containing complex subunit 45 antibody, BRCA1/BRCA2 antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCA1/BRCA2 antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCA1/BRCA2-antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCA1/BRCA2-antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCC4-antibody, BRCC45 antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCC4-antibody, BRCC45 antibody, BRCA1/BRCA2-containing complex subunit 45 antibody, BRCC4-antibody, BRCC45 antibody, BRC45-containing complex subunit 45 antibody, BRCC4-antibody, BRC45-containing complex subunit 45 antibody, BRC44-containing complex subunit 4

UniProt:	Q9NXR7
Pathways:	Positive Regulation of Response to DNA Damage Stimulus
Application Details	
Application Notes:	Optimal working dilution should be determined by the investigator.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7145789 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.