

Datasheet for ABIN7145822 anti-BRD8 antibody (AA 641-859) (FITC)



Go to Product page

_					
	W	0	rv	10	W

Background:

Quantity:	100 μg	
Target:	BRD8	
Binding Specificity:	AA 641-859	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BRD8 antibody is conjugated to FITC	
Application:	Please inquire	
Product Details		
Immunogen:	Recombinant Human Bromodomain-containing protein 8 protein (641-859AA)	
	Recombinant Human Bromodomain-containing protein 8 protein (641-859AA) IgG	
Immunogen:		
Immunogen: Isotype:	IgG	
Immunogen: Isotype: Cross-Reactivity:	IgG Human	
Immunogen: Isotype: Cross-Reactivity: Purification:	IgG Human	
Immunogen: Isotype: Cross-Reactivity: Purification: Target Details	IgG Human >95%, Protein G purified	

Background: May act as a coactivator during transcriptional activation by hormone-activated

nuclear receptors (NR). Isoform 2 stimulates transcriptional activation by AR/DHTR,

ESR1/NR3A1, RXRA/NR2B1 and THRB/ERBA2. At least isoform 1 and isoform 2 are components of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Component of a SWR1-like complex that specifically mediates the removal of histone H2A.Z/H2AFZ from the nucleosome.

Aliases: BRD8 antibody, SMAP antibody, SMAP2 antibody, Bromodomain-containing protein 8 antibody, Skeletal muscle abundant protein antibody, Skeletal muscle abundant protein 2 antibody, Thyroid hormone receptor coactivating protein of 120 kDa antibody, TrCP120 antibody, p120 antibody

UniProt:

Q9H0E9

Application Details

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, pH 7.4	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	